



2.1.2
1a **Frame**
Provide new isolated steel beams (233x133 UB30) circa 1600mm long on padstones to support new roof structure over G013 'side entrance', fabrication drawings required for SE comment and Building Control approval prior to ordering; collateral warranty required upon completion (Contractor Designed Portion)
Note the Contractor's attention is drawn to the party wall notices

2.1.2
1a **Frame**
Provide new isolated steel beams (203x133 UB30) circa 1600mm long on padstones to support new roof structure over G013 'side entrance', fabrication drawings required for SE comment and Building Control approval prior to ordering; collateral warranty required upon completion (Contractor Designed Portion)
Note the Contractor's attention is drawn to the party wall notices

3.3.2
1a **Ceiling Finishes**
Provide new MF suspended ceiling; moisture resistant hygienic; depth of suspension varies; including all ancillaries, trims, patressing to receive lighting and other fittings, etc.; in accordance with section K of the NBS specification; as indicated on reflected ceiling plan

2.1.1
1b **Frame**
"Provisional Quantity" additional fire protection to existing steel; encasing/boxing to achieve minimum 30mm protection; to Architect and Building Control satisfaction; including certification upon completion

3.3.1
1&3 **Ceiling Finishes**
Provide new MF suspended ceiling; depth of suspension varies; including all ancillaries, trims, patressing to receive lighting and other fittings, etc.; in accordance with section K of the NBS specification; as indicated on reflected ceiling plan

3.3.2
1a **Ceiling Finishes**
Provide new MF suspended ceiling; moisture resistant hygienic; depth of suspension varies; including all ancillaries, trims, patressing to receive lighting and other fittings, etc.; in accordance with section K of the NBS specification; as indicated on reflected ceiling plan

3.3.4
1a **Ceiling Finishes**
prepare and decorate ceilings generally

3.3.1
1&3 **Ceiling Finishes**
Provide new MF suspended ceiling; depth of suspension varies; including all ancillaries, trims, patressing to receive lighting and other fittings, etc.; in accordance with section K of the NBS specification; as indicated on reflected ceiling plan

| Rev. | Date | Description |
|------|------|-------------|
| 13 | | |

DRAWING REVISIONS: Revisions are by Project.
No items of work shown on this drawing shall be undertaken until the project is approved by the relevant authority.
Consequently some drawing sheets may skip a letter.

18 Belle Vue Road, Saltash, Cornwall. PL12 6ES

DRAFT

Real Ideas Organisation
Liskeard Library

Schedule of Works - Ground Floor - Ceiling - Phase 1a

2021-08-19
drawing no. LLR-CFD-xx- 00-DR-A-8805
scale at A1: 1 : 50
Draft 13



Draft 13
 CHECK ALL DIMENSIONS BEFORE CONSTRUCTION
 Drawing given in general to the effect of the above and subject to the usual conditions of contract. Measurements shall be taken from the centre of lines unless otherwise stated. Dimensions shall be given in millimetres unless otherwise stated. The contractor shall be responsible for the accuracy of the dimensions shown on this drawing. The contractor shall be responsible for the accuracy of the dimensions shown on this drawing. The contractor shall be responsible for the accuracy of the dimensions shown on this drawing.